

# PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY


## AVIBULB Série BN01



OCEL  
POZINKOVÁNO



OCEL  
POZINKOVÁNO



Všechny rozměry v mm.

d1 Ø	Ø	L	M	Objednáací číslo	
<b>3.2</b>	Ø : 3.3 - 3.4	1.0- 3.0	6.6	9.1	BN010408
	d2 Ø : 6.8 max.	3.0- 5.0	9.2	11.7	0411
	k : 1.4	5.0- 7.0	11.5	14.0	0414
	⊕ : 1300 N				
⊖ : 1200-2500 N (hodnoty závisí na délce nýtu)					

Všechny rozměry v mm.

d1 Ø	Ø	L	M	Objednáací číslo	
<b>4.8</b>	Ø : 4.9 - 5.1	1.5- 3.5	8.8	12.1	BN010611
	d2 Ø : 9.6 max.	3.5- 6.0	11.3	14.7	0614
	k : 1.5	6.0- 8.5	14.3	17.6	0618
	⊕ : 3800 N				
⊖ : 3600-5600 N (hodnoty závisí na délce nýtu)					

Všechny rozměry v mm.

d1 Ø	Ø	L	M	Objednáací číslo	
<b>4.0</b>	Ø : 4.1 - 4.3	1.0- 3.0	7.5	10.4	BN010509
	d2 Ø : 8.0 max.	3.0- 5.0	9.5	12.9	0512
	k : 1.4	5.0- 7.0	12.5	15.7	0516
	⊕ : 2500-2800 N	7.0- 9.0	18.1	18.1	0519
⊖ : 2400-4100 N (hodnoty závisí na délce nýtu)					

Všechny rozměry v mm.

d1 Ø	Ø	L	M	Objednáací číslo	
<b>6.0</b>	Ø : 6.1 - 6.3	1.5- 4.0	10.0	14.0	BN016010
	d2 Ø : 12.3 max.	3.0- 6.0	13.0	17.0	6013
	k : 2.1	6.0- 9.0	16.0	20.0	6016
	⊕ : 5400 N	9.0-12.0	19.0	23.0	6019
⊖ : 4200-8500 N (hodnoty závisí na délce nýtu)					


## STAVEX Série BS01



OCEL  
POZINKOVÁNO



OCEL  
POZINKOVÁNO



Všechny rozměry v mm.

d1 Ø	Ø	M	Objednáací číslo	
<b>3.2</b>	Ø : 3.3 - 3.4	1.0- 6.0	14.5	BS010414
	d2 Ø : 7.3			
	k : 1.0			
	⊕ : 1170 N			
⊖ : 900 N				

Všechny rozměry v mm.

d1 Ø	Ø	M	Objednáací číslo	
<b>4.8</b>	Ø : 4.9 - 5.0	1.5- 5.1	12.2	BS010612
	d2 Ø : 10.1	1.5- 6.3	13.8	0614
	k : 1.6	1.5- 9.0	17.1	0618
	⊕ : 2880 N	6.3-12.7	20.1	0622
⊖ : 2600 N				

Všechny rozměry v mm.




d1 Ø	Ø	M	Objednáací číslo	
<b>4.0</b>	Ø : 4.1 - 4.2	2.0- 8.0	16.0	BS010516
	d2 Ø : 8.2			
	k : 1.4			
	⊕ : 1800 N			
⊖ : 1530 N				

Všechny rozměry v mm.

d1 Ø	Ø	M	Objednáací číslo	
<b>6.4</b>	Ø : 6.6 - 6.9	1.5- 7.6	16.8	16104844
	d2 Ø : 13.5			
	k : 2.7			
	⊕ : 3560 N			
⊖ : 3100 N				

PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY

# AVINOX II Série BE61



Všechny rozměry v mm.

d1 Ø	Ø : 3.3 - 3.4	1.0- 3.0	6.6	9.0	Objednací číslo
<b>3.2</b>	d2 Ø : 6.6	3.0- 5.0	9.2	11.5	0411
+0.05	k : 1.1	5.0- 7.0	11.5	14.1	0414
-0.15	⊕ : 2000 N				
	⊖ : 1600-3200 N (hodnoty závisí na délce nýtu)				




Všechny rozměry v mm.

d1 Ø	Ø : 4.1 - 4.3	1.0- 3.0	7.5	10.3	Objednací číslo
<b>4.0</b>	d2 Ø : 8.0	3.0- 5.0	9.5	12.9	BE610509
+0.05	k : 1.5	5.0- 7.0	12.5	15.6	0512
-0.15	⊕ : 4000 N				0516
	⊖ : 2800-5200 N (hodnoty závisí na délce nýtu)				

Všechny rozměry v mm.

d1 Ø	Ø : 4.9 - 5.1	1.5- 3.5	8.8	12.8	Objednací číslo
<b>4.8</b>	d2 Ø : 9.6	3.5- 6.0	11.3	15.4	BE610611
+0.05	k : 1.5	6.0- 8.5	12.5	18.4	0614
-0.15	⊕ : 5000 N	7.0-10.0		19.9	0618
	⊖ : 5500 N				0619

# MASTERLOCK Série 1471+1561




Všechny rozměry v mm.

d1 Ø	Ø : 5.0	1.5- 3.5	9.0	Objednací číslo
<b>4.8</b>	d2 Ø : 9.8 [+/-0.30]	3.5- 6.0	11.5	14714809
+/-0.05	k : 2.2 [+/-0.2]	6.0- 8.5	14.0	4811
	P : ≥ 32	8.5-11.0	16.5	4814
	d3 : 3.02			4816
	⊕ : 3600 N			
	⊖ : min. 3920 N/max. 6270 N			

Všechny rozměry v mm.

d1 Ø	Ø : 6.65 [6,90 max.]	2.8- 4.8	12.5	Objednací číslo
<b>6.4</b>	d2 Ø : 13.6 max.	4.8- 6.8	14.5	15616412
+/-0.05	k : 3.3 max.	6.8- 8.8	16.5	6414
	P : ≥ 25	8.8-10.8	18.5	6416
	d3 : 4.0	10.8-12.8	20.5	6418
	⊕ : 7120 N	12.8-14.8	22.5	6420
	⊖ : 11560 N			6422

# MASTERLOCK Série 1511



Všechny rozměry v mm.



d1 Ø	Ø : 6.6 [6.80 max.]	2.8- 4.8	10.5	Objednací číslo
<b>6.4</b>	d2 Ø : 13.0 max.	4.8- 6.8	12.5	15116412
+/-0.05	k : 3.0 max.	6.8- 8.8	14.5	6414
	P : ≥ 32	8.8-10.8	16.5	6416
	d3 : ≈ 4.17	10.8-12.8	18.5	6418
	⊕ : 3500 N	12.8-14.8	20.5	6420
	⊖ : 5000 N			6422

PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY

## MASTERLOCK Série 1472



### VELKÁ HLAVA




Všechny rozměry v mm.

d1 Ø	Ø	L	Objednací číslo	
4.8	5.0	1.5- 3.5	9.0	14724809
	14.0 [+/-0.30]	3.5- 6.0	11.0	4811
	k : 2.0 [+/-0.2]			
	P : ≥32			
	d3 : 3.0			
	⊕ : 3500 N			
	⊖ : 6000 N			

## MASTERLOCK Série 1474



### ZAPUŠTĚNÁ HLAVA




Všechny rozměry v mm.

d1 Ø	Ø	L	Objednací číslo	
6.4	6.6	3.8- 5.8	11.5	14746411
	10.0 [+/-0.30]	4.8- 6.8	12.5	6412
	k : 2.0 [+/-0.2]	5.8- 7.8	13.5	6413
	P : ≥32	7.8- 9.8	15.5	6415
	d3 : 4.2	9.8-11.8	17.5	6417
	⊕ : 5490 N	11.8-13.8	19.5	6419
	⊖ : 5390-10300 N (hodnoty závisí na délce nýtu)			

## MASTERLOCK Série 1514




### ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø	L	Objednací číslo	
6.4	6.6	3.8- 5.8	11.5	15146411
	10.0 [+/-0.30]	5.8- 7.8	13.5	6413
	k : 2.0 [+/-0.2]	7.8- 9.8	15.5	6415
	P : ≥32	9.8-11.8	17.5	6417
	d3 : 4.2	11.8-13.8	18.5	6418
	⊕ : 3000 N	13.8-15.8	19.5	6421
	⊖ : 4000 N			



## HEMLOK Série 2221



Všechny rozměry v mm.

d1 Ø	Ø	M	Objednací číslo	
6.4	6.7 - 6.9	1.5- 3.5	13.7	22210812
	13.4	2.8- 4.8	15.0	0813
	k : 2.7	3.4- 5.4	15.6	0814
	P :	4.8- 6.8	17.0	0815
	d3 : ≈4.2	6.8- 8.8	19.0	0817
	⊕ : 8800 N	7.5- 9.5	19.7	0818
	⊖ : 10500-16000 N (hodnoty závisí na délce nýtu)	8.8-10.8	21.0	0819
		10.8-12.8	23.0	0821

## HEMLOK Série 2241





Všechny rozměry v mm.


d1 Ø	Ø  : 6.7 - 6.9
d2 Ø	: 13.4
k	: 2.7
	: 2700 N
+0.05 -0.15	: 5000-7000 N (hodnoty závisí na délce nýtu)

	M [+1/-0.2]	Objednací číslo
1.5- 3.5	13.7	22410812
2.8- 4.8	15.0	0813
3.35- 5.35	15.6	0814
4.8- 6.8	17.0	0815
6.8- 8.8	19.0	0817
8.8-10.8	21.0	0819
10.8-12.8	23.0	0821

## MONOBOLT Série 2771



Svěrná tloušťka



Všechny rozměry v mm.

d1 Ø	Ø  : 4.9 - 5.1
d2 Ø	: 10.1
k	: 2.1
	: 5100 N
+0.05 -0.15	: 6400 N

	L [+1/-0.2]	M	Objednací číslo
1.6- 6.86	10.5	18.2	27710613
1.6-11.1	13.5	24.5	0617

Všechny rozměry v mm.

d1 Ø	Ø  : 6.6 - 7.0
d2 Ø	: 13.4
k	: 2.9
	: 10400 N
+0.05 -0.15	: 11700 N


	L [+1/-0.2]	M	Objednací číslo
2.0- 9.5	12.2	23.7	27710817
2.0-15.9	16.4	33.0	0824

Všechny rozměry v mm.

d1 Ø	Ø  : 9.9-10.4
d2 Ø	: 20.3
k	: 4.0
	: 16500 N
+0.05 -0.15	: 26300 N

	L	M	Objednací číslo
3.0-15.9	22.3	36.2	27711228

## MONOBOLT Série 2774



Všechny rozměry v mm.

d1 Ø	Ø  : 4.9 - 5.1
d2 Ø	: 10.1
k	: 1.9
	: 2200 N
+0.05 -0.15	: 3000 N

	L [+1/-0.2]	M	Objednací číslo
1.6- 6.9	10.5	18.4	27740613
1.6-11.1	13.5	24.1	0617

Všechny rozměry v mm.

d1 Ø	Ø  : 6.6 - 7.0
d2 Ø	: 13.1
k	: 2.7
	: 4200 N
+0.05 -0.15	: 6000 N


	L [+1/-0.2]	M	Objednací číslo
2.0- 9.5	13.0	24.6	27740817
2.0-15.9	18.1	34.7	0824

Všechny rozměry v mm.

d1 Ø	Ø  : 9.9-10.4
d2 Ø	: 20.3
k	: 4.1
	: 9300 N
+0.05 -0.15	: 12600 N

	L	M	Objednací číslo
3.0-15.9	-	36.2	27741228

# MONOBOLT Série 2711



A2 [1.4301]

A2 [1.4301]

Všechny rozměry v mm.

	L	M	Objednací číslo
	[+1/-0.2]		
2.0- 9.5	12.2	23.7	27110817
2.0-15.87	16.4	33.0	0824

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9 - 5.1
d2 Ø	: 10.1
k	: 2.1
	: 5100 N
+0.05	: 6400 N
-0.15	

	L	M	Objednací číslo
	[+1/-0.2]		
1.6- 6.9	10.5	18.2	27110613
1.6-11.1	13.5	24.5	0617

d1 Ø	Ø  : 6.6 - 7.0
d2 Ø	: 13.4
k	: 2.7
	: 10450 N
+0.05	: 11780 N
-0.15	

Všechny rozměry v mm.


	L	M	Objednací číslo
3.0-15.9	-	36.2	27111228

d1 Ø	Ø  : 9.9-10.4
d2 Ø	: 20.3
k	: 4.1
	: 19400 N
+0.05	: 26080 N
-0.15	

# MONOBOLT Série 2764



ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

	L	M	Objednací číslo
	[+1/-0.2]		
3.2- 8.5	10.5	20.0	27640615
3.2-12.2	13.5	26.3	0619


d1 Ø	Ø  : 4.9 - 5.1
d2 Ø	: 8.3
k	: 2.2
	: 2100 N
+0.05	: 2800 N
-0.15	

Všechny rozměry v mm.




	L	M	Objednací číslo
3.2-12.2	13.0	27.2	27640821

d1 Ø	Ø  : 6.6 - 7.0
d2 Ø	: 10.1
k	: 2.4
	: 4200 N
+0.05	: 6000 N
-0.15	

# MONOBOLT Série 2761



ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

	L	M	Objednací číslo
	[+1/-0.2]		
3.2- 8.4	10.5	20.0	27610615
3.2-12.2	13.5	26.3	0619

Všechny rozměry v mm.

	L	M	Objednací číslo
	[+1/-0.2]		
3.2-12.0	12.2	26.4	27610821

d1 Ø	Ø  : 6.6 - 7.0
d2 Ø	: 10.1
k	: 2.4
	: 10400 N
+0.05	: 11100 N
-0.15	

# MONOBOLT Série 2721



Schéma viz. Série 2761

A2 [1.4301]

A2 [1.4301]

ZAPUŠTĚNÁ HLAVA

Všechny rozměry v mm.

	L	M	Objednací číslo
	[+1/-0.2]		
3.2- 8.4	10.4	20.0	27210615

Všechny rozměry v mm.

	L	M	Objednací číslo
	[+1/-0.2]		
3.2-12.0	16.9	26.4	27210821

d1 Ø	Ø  : 6.6 - 7.0
d2 Ø	: 10.0
k	: 2.4
	: 10400 N
+0.05	: 11700 N
-0.15	

PEVNOSTNÍ (STRUKTURÁLNÍ) NÍTY